

Web [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼



[Sign in](#)

[Advanced Search](#)
[Preferences](#)



Web

Results **1 - 10** of about **1,740,000** for **descriptor tree**. (0.21 seconds)

1. Re: New name for the Deployment **Descriptor tree** fo: msg#00048

It is about the "Deployment **Descriptor**: <projectName>" **tree** that appears as first child node under each J2EE project **tree** in the Project Explorer view. ...

osdir.com/ml/ide.eclipse.wtp.devel/2006-12/msg00048.html - 24k

- [Cached](#) - [Similar pages](#)

2. Servlet 2.3 Deployment **Descriptor**

[JavaRanch Home](#) · [Big Moose Saloon](#) · [JavaRanch FAQ](#) · [Search](#) · [Home](#) · [Bunkhouse](#) · [Cattle Drive](#) · [Radio](#) · [Rules Roundup](#) · [Journal](#) · [Tack Room](#) · [Tool Shed ...](#)

www.javaranh.com/carl/scwcd/servlet2.3dd.jsp - 11k - [Cached](#) - [Similar pages](#)

3. The **Descriptor Tree** (Writing Device Drivers) - Sun Microsystems

Call the usb_get_dev_data(9F) function to retrieve the hierarchical **descriptor tree**.

The "SEE ALSO" section of the usb_get_dev_data(9F) man page lists the ...

docs.sun.com/app/docs/doc/816-4854/usb-10?a=view - 14k - [Cached](#) - [Similar pages](#)

4. RE: [wtp-dev] Deployment **Descriptor tree** help needed

I'm improving the Deployment **Descriptor** subtree in project **tree** of Web 2.4 projects.

But I have problem with understanding the structure and how it works. ...

dev.eclipse.org/mhonarc/lists/wtp-dev/msg05742.html - 7k - [Cached](#) - [Similar pages](#)

5. Initial CATTS Cost Effectiveness **Tree**.

Abstract : This memorandum documents the development of a cost/effectiveness (C/E) **descriptor tree** which was developed in support of Operational Tests 1 ...

stinet.dtic.mil/oai/oai?verb=getRecord&metadataPrefix=html&identifier=ADA075708 -

4k - [Cached](#) - [Similar pages](#)

by GL Neal - 1974 - [All 2 versions](#)

6. Method for creating a directory **tree** in main memory using an index ...

The method of claim 1, wherein said **descriptors** in said **descriptor tree** belong

Next, the process of creating and updating the **descriptor tree** 18 and ...

www.freepatentsonline.com/5276874.html - [Similar pages](#)

by JC Loomis - 1994 - [Cited by 9](#) - [Related articles](#)

7. [\[PDF\] The VAD **tree**: A process-eye view of physical memory](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The VAD **tree**. The Virtual Address **Descriptor tree** is used by the Windows. memory manager to describe memory ranges used by ...

www.dfrws.org/2007/proceedings/p62-dolan-gavitt.pdf - [Similar pages](#)

by B Dolan-Gavitt - [Related articles](#) - [All 4 versions](#)

8. [Heterogeneous data translation system - US Patent 5339434](#)

The initializing step includes retrieving the stored message description file, and generating a field **descriptor tree** from the message description file. ...

www.patentstorm.us/patents/5339434-description.html - [Similar pages](#)

9. [Digital Investigation : The VAD **tree**: A process-eye view of ...](#)

The Virtual Address **Descriptor tree** is used by the Windows memory manager to describe memory ranges used by a process as they are allocated. ...


linkinghub.elsevier.com/retrieve/pii/S1742287607000503 - [Similar pages](#)

by B Dolan-Gavitt - 2007 - [Related articles](#) - [All 4 versions](#)

10. [OpenEJB - Configuration and Assembly](#)

read in **descriptors**; process annotations filling in the **descriptor tree**; validating app compliance; resolving resource references; resolving ejb references ...

openejb.apache.org/configuration-and-assembly.html - 24k - [Cached](#) - [Similar pages](#)



[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)